



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

WEST INDIES.

Report from Bridgetown, Barbados—Inspection of vessels—Sanitary conditions.

Acting Assistant Surgeon Urquhart reports, September 28:
Week ended September 28. Bills of health were issued as follows:

Name of ship.	Port of departure.	Destination.
Herm	Newport News	San Francisco.
Obidense	Maranham	New York.
Louisianian	Liverpool	New Orleans.
Winnipeg	Rosario	Pensacola.
Crown of Aragon	Georgetown	Hampton Roads.
Grecian Prince	Santos	Santos.
Gratia	Rio de Janeiro	Pensacola.

The steamship *Crown of Aragon* was fumigated here. Sanitary condition of this port, good. Total number of crews, 230; passengers, 45. No quarantinable diseases reported for the week for this port or island

Reports from Castries, St. Lucia Island—Sanitary conditions.

Acting Assistant Surgeon Maylie reports, September 24 and 30:
Weeks ended September 21 and 28. Sanitary condition of this port and vicinity, good; no quarantinable diseases exist.

Report from Trinidad—Cessation of yellow fever.

The following information is received through the Department of State from the deputy consul at Trinidad, under date of September 25:

Yellow fever on this island has ceased. September 9, the health of the port was declared good, and quarantine removed according to law.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—
UNTABULATED.

AFRICA—Orange River Colony, Bloemfontein.—Month of August, 1907. Estimated population, 12,000. Total number of deaths, 13, including whooping cough 1, and 1 from tuberculosis.

CANADA—Ontario—Hamilton.—Month of September, 1907. Estimated population, 63,000. Total number of deaths, 93, including enteric fever 3, whooping cough 2, and 5 from tuberculosis.

Quebec—Sherbrooke.—Month of September, 1907. Estimated population, 14,700. Total number of deaths, 27, including 5 from tuberculosis.

DUTCH GUIANA—Paramaribo.—Month of August, 1907. Estimated population, 34,028. Total number of deaths, 111. No deaths from contagious diseases reported. Malarial fever prevalent.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended September 21, 1907, correspond to an annual rate of 13.5 per 1,000 of population, which is estimated at 16,024,458.

London.—One thousand one hundred and eighty-two deaths were registered during the week, including measles 11, scarlet fever 13, diphtheria 15, enteric fever 4, whooping cough 30, tuberculosis 171, and 78 from diarrhea. The deaths from all causes correspond to an annual rate of 13.0 per 1,000. In Greater London 1,641 deaths were registered. In the "outer ring" the deaths included 5 from measles, 2 from diphtheria, 3 from scarlet fever, and 9 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended September 21, 1907, in the 21 principal town districts of Ireland was 16.1 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Galway, viz, 3.9, and the highest in Tralee, viz, 31.7 per 1,000. In Dublin and suburbs 145 deaths were registered, including diphtheria 2, whooping cough 1, and 33 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended September 21, 1907, correspond to an annual rate of 13.3 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Glasgow, viz, 15.2, and the lowest in Leith, viz, 7.5 per 1,000. The aggregate number of deaths registered from all causes was 462, including diphtheria 3, scarlet fever 1, measles 4, and 10 from whooping cough.

MALTA.—Two weeks ended September 21, 1907. Estimated population, 206,689. Total number of deaths, 150, including diphtheria 1, enteric fever 1, measles 1, and 5 from tuberculosis.

NEW ZEALAND—*Auckland*.—Month of July, 1907. Estimated population, 86,000. Total number of deaths reported 98, including diphtheria 1, scarlet fever 1, measles 5, whooping cough 6, and 7 from tuberculosis.

NORWAY—*Bergen*.—Month of September, 1907. Estimated population, 80,000. Total number of deaths, not reported. Nine deaths from diphtheria.

SPAIN—*Barcelona*.—Ten days ended September 20, 1907. Estimated population, 600,000. Total number of deaths, 318, including diphtheria 1, enteric fever 25, measles 2, scarlet fever 1, whooping cough 1, smallpox 3, and 31 from tuberculosis.

SWITZERLAND.—Week ended September 7, 1907. Reports from 18 cities, having an aggregate population of 867,056, show as follows: Total number of deaths, 225, including measles 1, enteric fever 1, diphtheria 1, and 49 from tuberculosis.

VENEZUELA—*Puerto Cabello*.—Month of July, 1907. Estimated population, 14,000. Total number of deaths, 51, including 10 from tuberculosis.

Month of August, 1907. Total number of deaths, 35, including 9 from tuberculosis.

WEST INDIES—*Curaçao*.—Two weeks ended September 27, 1907. Estimated population, 31,600. Total number of deaths, 12. No deaths from contagious diseases reported.

Cholera, yellow fever, plague, and smallpox from June 28 to October 18, 1907.

[Reports received by the Surgeon-General, Public Health and Marine-Hospital Service, from American consuls, through the Department of State and from other sources.]

[For reports received from December 28, 1906, to June 28, 1907, see PUBLIC HEALTH REPORTS for June 28, 1907.]

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria—Algiers	Aug. 1-31	2	Quarantined without the city limits.
Ceylon—Point de Galle.....	June 16-22	2	
China:				
Amoy	June 30-July 6	Kulangsu, 8 deaths daily, estimated. Aug. 3, still present.
Shanghai	Aug. 4-25	a 10	246	
Tientsin	Aug. 15-17	3 cases and 2 deaths from steamship from Shanghai.
India				Burma Province, 1906, 7,872 deaths.
Bombay	May 29-Sept. 17	329	
Calcutta	May 12-Aug. 31	629	
Cochin	May 4-July 26	73	
Kashmir	May 11-July 9	10,555	6,563	From Nov. 1 to June 29, 16,675 cases and 9,705 deaths.
Madras	July 6-Sept. 13	198	
Moulmine	May 5-July 27	42	1	
Rangoon	May 12-Aug. 24	24	
Japan:				
Ehime Ken	Sept. 1-13	2	
Hiroshima Ken	Sept. 1-13	7	
Hyogo Ken	Aug. 24-Sept. 13	102	
Kobé	Aug. 24-Sept. 7	5	2	Imported.
Fukuoka Ken	Aug. 19-Sept. 13	687	
Moji	Aug. 19-Sept. 9	450	400	And 83 cases in vicinity Sept. 9.
Nagasaki Ken	Aug. 30-Sept. 13	25	2	Imported from Moji.
Nagatsu	Aug. 31	14 cases daily.
Nara	Sept. 1	1	
Oita Ken	Sept. 1-13	57	
Okayama	Sept. 1-13	9	
Okugori	Sept. 1-9	27	
Osaka fu	Aug. 24-Sept. 13	42	
Saseho	Sept. 1	Present.
Yamaguchi Ken	Sept. 1-13	225	
Shimonoseki	Aug. 4-Sept. 4	30	Case Aug. 10 from ss. Hakauai Maru. Present also in vicinity.
Yokohama	July 28-Sept. 16	9	5	5 cases, 3 deaths July 28-Aug. 3 from ss. Yamashiro Maru; 1 case Sept. 1 from vessel Takasago Maru.
Korea:				
Seoul	Sept. 26	Present.
Philippine Islands:				
Manila	July 14-Aug. 10	6	4	
Provinces				Report of the bureau of health, Philippine Islands, first quarter of the calendar year 1907, gives a grand total of 235 cases and 148 deaths.

a Cases among foreigners deaths among natives.